

UB Engineered

Australian Hardwood Flooring



Australian Spotted Gum

Australian Spotted Gum is visually spectacular. There is no other timber like it.

A unique palette that ranges in colour tones, from light browns to mid browns, some olive tones with a red and green tinge.

Not only visually impressive, spotted gum is extremely hard.



Australian Blackbutt

Blackbutt is an Australian hardwood with excellent strength and durability.

Australian Blackbutt is the most popular of the Australian species.

Blackbutt offers a brilliant colour range, from light to medium browns and occasional tinges of subtle pink.



VARIATION DISCLAIMER

Timber is a natural material therefore variation in appearance and properties is part of the natural charm of designing and living with real timber flooring. Each plank is uniquely designed by nature and therefore will never repeat. Please remember that your flooring will be unique. It will not be the same as the samples or pictures displayed or advertised.

EXCEPTIONAL DURABILITY

UB Engineered Australian Hardwood Flooring has 7-layers of Bona Traffic coating. Bona Traffic is a 100% polyurethane two component water-based top coat for the treatment of timber floors subjected to very heavy wear.


Bona Traffic is designed for use in commercial and high traffic situations where maximum wear resistance is required. Bona Traffic is one of Bona's most hard wearing finishes and is used to protect timber floors at museums, shops and other commercial sites around the globe.



- ✓ Exceptional resistance to wear, scuff marks and scratches
- ✓ Suitable for overcoating refinished floors
- ✓ Meets EN 14904:2006 for slip resistance (indoor sports surfaces)
- ✓ Classified EC1R for very low emissions
- ✓ Clear non-yellowing finish
- ✓ DIBt approved for low indoor emissions
- ✓ NMP and NEP free

FEATURES

- ✓ 14mm thick engineered planks
- ✓ 136mm wide engineered planks
- ✓ 1830mm / 2190mm long engineered planks
- ✓ 3.5mm solid sawn Australian hardwood veneer
- ✓ 7 layers of Bona Traffic water-based UV lacquer
- ✓ 3 layer cross-laid core means less expansion and shrinkage under Australian conditions
- ✓ Birch or pine core and hardwood eucalyptus base to enhance balance and minimise twisting or warping
- ✓ Valinge 5G click system for easy and secure installation by DIY and professional installers
- ✓ Can be sanded up to 8 times
- ✓ Australian hardwood veneers are 100% solid wood and preserve the rich grain texture
- ✓ All adhesives are 100% formaldehyde free and environmentally friendly



Valinge 5G

Click technology for easy and secure installation

UB Engineered Australian Hardwood Flooring features Valinge 5G locking technology. 5G is the very best click technology that will ensure easy and secure installation for the DIY and professional installer.

Valinge 5G single action installation method is globally recognised and used around the world. The boards are locked on the long side with a traditional angling method. The 5G locking systems enable fast and secure installation by vertical snap without the need for any tools.



Sustainably and Responsibly Harvested Timber

UB Engineered Australian Hardwood Flooring is sourced from responsibly managed forests.

Forest Stewardship Council certification.

FSC has a global forest certification system to provide a guarantee that forest products come from responsibly managed sources.



MANUFACTURED TO AUSTRALIAN STANDARDS

AUSTRALIAN SLIP RESISTANCE RATING

UB Engineered Australian Hardwood Flooring has a P3 slip resistance rating. Certified to Australian Standard AS 4586-2013

AUSTRALIAN FIRE RESISTANCE RATING

UB Engineered Australian Hardwood Flooring is fire resistant. Certified to Australian Standard AS/ISO 2939.1-2003



Australian Owned



Proud to be Australian



Premium Australian Standard



FAMILY & PET FRIENDLY

UB Engineered Australian Hardwood Flooring is designed to enhance and promote a healthy family environment. Our products are made to the highest ethical standards and are fully certified to ensure a healthy and environmentally friendly home.

- ✓ Allergy friendly
- ✓ Asthma friendly
- ✓ Slip resistant
- ✓ Warm and comfortable
- ✓ Pet friendly
- ✓ Eco friendly

WARRANTY

UB Engineered Australian Hardwood Flooring is protected by a lifetime residential wear warranty and a lifetime manufacturing defects guarantee. Terms and conditions apply. For further warranty information please refer to the warranty PDF document available upon request.





SCRATCH RESISTANT

UB Engineered Australian Hardwood Flooring offers 7 coats of Bona Traffic. Bona Traffic is a 100% polyurethane water-based top coat for the treatment of timber floors subjected to very heavy wear. Bona Traffic is a clear non-yellowing coating that enhances the look and feel of real Australian hardwood flooring.

REAL AUSTRALIAN HARDWOOD

UB Engineered Australian Hardwood Flooring offers real Australian species hardwood.

COMFORTABLE UNDERFOOT

UB Engineered Australian Hardwood Flooring feels solid, nice, warm and comfortable underfoot.

EASY TO KEEP CLEAN

UB Engineered Australian Hardwood Flooring is very easy to keep clean and looking new. We recommend a moist mop and low alkaline cleaners.

EASY AND SECURE INSTALLATION

UB Engineered Australian Hardwood Flooring offers the latest in click technology for easy and secure installation for the DIY and the professional installer.



UB MANUFACTURING ADVANTAGE

- ✓ Advanced kiln drying chambers and water bath drying technology allows accurate moisture control in the wood which provides stability in our flooring.
- ✓ Camera Wood Eye technology allows for 99% grading accuracy in colour and thickness.
- ✓ Bona finishing flexi lacquer coating line from Sweden ensures our planks are perfectly coated every time.
- ✓ 7 layers dry on dry coating allows for the most durable natural looking coatings.
- ✓ Heated coaters for consistent gloss level to enhance the look and feel of natural wood.
- ✓ Boric treatment that makes our planks odour free, mould resistant, insect resistant and fungi resistant.

ACOUSTIC UNDERLAY

We recommend that you combine UB Engineered Australian hardwood with UB-CR750 cork / rubber underlay to achieve the highest possible AAAC acoustic star ratings.

	UBCR750-3MM	UBCR750-5MM
Underlay Thickness	3mm	5mm
Underlay Density	750kg/m ³	750kg/m ³
LnT,w db	44 db	42 db
AAAC Star Rating	5 Star	6 Star

UB-CR750-3MM is a 3mm thick cork / rubber underlay with a density weight of 750kg/m³

UB-CR750-5MM is a 5mm thick cork / rubber underlay with a density weight of 750kg/m³

UB Engineered Australian Hardwood Flooring
(glued or floated installation)



UB-CR750 Acoustic cork / rubber underlay
UB-CR750-3MM
UB-CR750-5MM

(Assumptions have been considered including and not limited to, slab thickness and ceiling configuration. Please contact us for full sound test report.)

UB Engineered Australian Hardwood Flooring

- ✓ Moisture Resistant
- ✓ Scratch Resistant
- ✓ Easy to Keep Clean
- ✓ Fully Certified
- ✓ Easy Installation
- ✓ Family Friendly

UB Engineered Australian Hardwood Flooring

Plank dimensions	14mm x 136mm x 1830mm / 2190mm
Veneer	3.5mm hardwood veneer
Wood Species	Australian hardwood Spotted Gum / Blackbutt
Surface Finish	Matte finish
Coating	7 layers Bona Traffic Water-based UV lacquer
Style	Single strip
Edge	Square edge
Installation method	Valinge 5G click
Fire resistance	Australian standard AS / ISO 2939.1-2003
Slip resistance	Australian standard AS 4586-2013
Warranty	30 years residential, 20 years commercial

UB TRADING



QUALITY

UB Trading and our trusted manufacturers provide you with the highest quality fully certified products.



PROMPT SERVICE

UB Trading and our dedicated distributors will provide the highest standard in service before, during and after sale.



DIY

UB Engineered Australian Hardwood Flooring is designed for easy installation. Designed to be installed by licensed flooring installers and experienced DIY persons. Terms and conditions apply. Please ask for our installation guide.



WARRANTY

UB Engineered Australian Hardwood Flooring is protected by a lifetime residential wear warranty and a lifetime manufacturing defects guarantee. Terms and conditions apply. For further warranty information please refer to the warranty PDF document available upon request.



UB Engineered Australian Hardwood Flooring
Proudly imported by UB Trading Pty Ltd.
For further information please visit: www.ubtrading.com.au
Contact: info@ubtrading.com.au